

Index to Volume 64

Author Index

- Abecassis, J. See C. Renard, 177
- Aikasalo, R. See M. Lehtonen, 133, 191
- Albers, L. E. See G. L. Lookhart, 199
- Albrecht, J. A., E. H. Asp, and I. M. Buzzard. Contents and retentions of sodium and other minerals in pasta cooked in unsalted or salted water, 106
- Añón, M. C. See C. E. Lupano, 437
- Asp, E. H. See J. A. Albrecht, 106
- Axtell, J. See G. Ejeta, 137
- Bains, G. S. See K. Harinder, 359
- Ballance, G. M. See R. J. Peña, 128
- Banda-Nyirenda, D. B. G., P. Vohra, and K. H. Ingebreton. Nutritional evaluation of some varieties of sorghums (*Sorghum bicolor* (L.) Moench), 413
- Bauer, T. L. See F. Y. Iskander, 285
- Bean, M. M. See C. S. Gaines, 46
- Bertrand, D. See C. Renard, 177
- Bhattacharya, K. R. See K. R. Unnikrishnan, 315, 321
- Bhatty, R. S., and J. R. Whitaker. In vivo and in vitro protein digestibilities of regular and mutant barleys and their isolated protein fractions, 144
- Bietz, J. A. See F. R. Huebner, 15
- See J. S. Wall, 275
- Bolte, L. C., 39
- Bookwalter, G. N. See Y. V. Wu, 434
- Bressani, R. See C. Mendoza M., 218
- Brooks, J. R., and V. K. Griffin. Saccharide analysis of corn syrup solids and maltodextrins using high-performance liquid chromatography, 253
- Brown, G. See P. G. Krishnan, 55
- Buck, J. S., C. E. Walker, and K. S. Watson. Incorporation of corn gluten meal and soy into various cereal-based foods and resulting product functionality, sensory, and protein quality, 264
- Bushuk, W. See P. K. W. Ng, 324
- Buzzard, I. M. See J. A. Albrecht, 106
- Cady, N. D., A. E. Carter, B. E. Kayne, M. E. Zabik, and M. A. Uebersax. Note: Navy bean flour substitution in a master mix used for muffins and cookies, 193
- Campbell, W. P., C. W. Wrigley, P. J. Cressey, and C. R. Slack. Statistical correlations between quality attributes and grain-protein composition for 71 hexaploid wheats used as breeding parents, 293
- See P. J. Cressey, 299
- Carter, A. E. See N. D. Cady, 193
- Chang, K. C. See P. G. Krishnan, 55
- Cherdkiatgumchai, P., and D. R. Grant. Note: The determination of ascorbic acid in wheat flour suspension by differential pulse polarography, 288
- Choudhury, N. H. See B. O. Juliano, 27
- Chungcharoen, A., and D. B. Lund. Influence of solutes and water on rice starch gelatinization, 240
- Clark, R. B. See B. O. Juliano, 27
- Clements, R. L. A study of gliadins of soft wheats from the eastern United States using a modified polyacrylamide gel electrophoresis procedure, 442
- Clydesdale, F. M. See S. R. Platt, 102
- Corpuz, I. G. See B. O. Juliano, 27
- Cressey, P. J., W. P. Campbell, C. W. Wrigley, and W. B. Griffin. Statistical correlations between quality attributes and grain-protein composition for 60 advanced lines of crossbred wheat, 299
- See W. P. Campbell, 293
- Cuppett, S. L. See S. J. Koeppel, 332
- See P. L. Harris, 283
- Czuchajowska, Z. See C. R. Martin, 356
- Davis, E. A. See L. E. Pearce, 154
- Devauux, M. F. See C. Renard, 177
- Dhaliwal, A. S., D. J. Mares, and D. R. Marshall. Effect of 1B/1R chromosome translocation on milling and quality characteristics of bread wheats, 72
- Dietz, H. M. See R. D. King, 411
- Doeschner, L. C., R. C. Hoseney, and G. A. Milliken. A mechanism for cookie dough setting, 158
- See L. C. Bolte, and G. L. Rubenthaler. Effect of sugars and flours on cookie spread evaluated by time-lapse photography, 163
- Doherty, C. A., R. D. Waniska, L. W. Rooney, C. F. Earp, and J. H. Poe. Free phenolic compounds and tannins in sorghum caryopsis and glumes during development, 42
- Donelson, J. R. See C. S. Gaines, 46
- Dong, F. M., B. A. Rasco, and S. S. Gazzaz. A protein quality assessment of wheat and corn distillers' dried grains with solubles, 327
- See B. A. Rasco, 139
- See M. L. San Buenaventura, 135
- Doublier, J.-L., D. Paton, and G. Llamas. A rheological investigation of oat starch pastes, 21
- Downey, S. E. See B. A. Rasco, 139
- Earp, C. F. See C. A. Doherty, 42
- Ehiwe, A. O. F., and R. D. Reichert. Variability in dehulling quality of cowpea, pigeon pea, and mung bean cultivars determined with the tangential abrasive dehulling device, 86
- See D. J. Schwab, E. S. Humbert, and G. Mazza. Effect of seed moisture content and temperature on the seed coat durability of field pea, 237
- Ejeta, G., and J. Axtell. Protein and lysine levels in developing kernels of normal and high-lysine sorghum, 137
- Elkin, R. G., and A. M. Wasynczuk. Amino acid analysis of feedstuff hydrolysates by precolumn derivatization with phenylisothiocyanate and reversed-phase high-performance liquid chromatography, 226
- Endo, S., K. Okada, and S. Nagao. Studies on dough development. III. Mixing characteristics of flour streams and their changes during dough mixing in the presence of chemicals, 110
- Fennema, O. See S. P. Kaufman, 172
- Gaines, C. S., R. E. Miller, J. R. Donelson, and M. M. Bean. Optimizing grinder type and methods of expressing wheat meal particle size for wheat texture (hardness or softness) measurement and near-infrared reflectance spectroscopy, 46
- Gazzaz, S. S. See F. M. Dong, 327
- Gordon, J. See L. E. Pearce, 154
- Grant, D. R. Ascorbate oxidase inhibition in dough by fluoride ion and its effect upon dough rheology, 403
- See P. Cherdkiatgumchai, 288
- Griffin, V. K. See J. R. Brooks, 253
- Griffin, W. B. See P. J. Cressey, 299
- Hahn, D. E., and L. F. Hood. Development of an equilibrium dialysis technique for quantifying starch-lipid complexes, 77
- See L. F. Hood, and factors influencing corn starch-lipid complexing, 81
- Hanna, M. A. See S. J. Koeppel, 332
- Hansen, L. M., J. V. Palktelis, and C. S. Setser. ¹³C nuclear magnetic resonance spectroscopic methods for investigating sucrose-starch interactions with increasing temperature, 449
- Harinder, K., and G. S. Bains. High alpha-amylase flours: Effect of pH, acid, and salt on paste characteristics, 359
- Harris, P. L., S. L. Cuppett, C. E. Walker, and J. H. Rupnow. Note: Lipid and color evaluations of solvent-extracted maize gluten meal, 283
- See S. J. Koeppel, 332
- Harwalkar, V. R. See C.-Y. Ma, 212
- Hashimoto, S., M. D. Shogren, and Y. Pomeranz. Cereal pentosans: Their estimation and significance. I. Pentosans in wheat and milled wheat products, 30
- See L. C. Bolte, and Y. Pomeranz. Cereal pentosans: Their estimation and significance. III. Pentosans in abraded grains and milling by-products, 39
- See M. D. Shogren, 35
- Hebsted, M. See K. S. Keim, 352
- Hendricks, D. G. See A. M. Thannoun, 399
- Hino, A., H. Takano, and Y. Tanaka. New freeze-tolerant yeast for frozen dough preparations, 269

- Holloway, C. L. See K. S. Keim, 352
- Holmes, J. T., and R. C. Hoseney. Chemical leavening: Effect of pH and certain ions on breadmaking properties, 343
- _____, and _____. Frozen doughs: Freezing and thawing rates and the potential of using a combination of yeast and chemical leavening, 348
- Hood, L. F. See D. E. Hahn, 77, 81
- Hoseney, R. C. See L. C. Doescher, 158, 163
- _____. See J. T. Holmes, 343, 348
- _____. See D. E. Rogers, 370
- _____. See K. H. Zeleznak, 121
- Huebner, F. R., and J. A. Bietz. Improvements in wheat protein analysis and quality prediction by reversed-phase high-performance liquid chromatography, 15
- Humbert, E. S. See A. O. F. Ehiwe, 237
- Ibabao, M. G. B. See B. O. Juliano, 27
- Ingebretson, K. H. See B. G. D. Banda-Nyirenda, 413
- Inglett, G. E. See B. R. Krueger, 187
- Iskander, F. Y., M. M. Morad, D. E. Klein, and T. L. Bauer. Note: Determination of protein and 11 elements in six milling fractions of two wheat varieties, 285
- Jackson, D. S., and L. W. Rooney. Note: Rapid determination of moisture in masa with a domestic microwave oven, 196
- Johnston, B. See M. Vaisey-Genser, 50
- Juliano, B. O., M. G. B. Ibabao, C. M. Perez, R. B. Clark, J. W. Maranville, C. P. Mamaril, N. H. Choudhury, C. J. S. Momuat, and I. G. Corpuz. Effect of soil sulfur deficiency on sulfur amino acids and elements in brown rice, 27
- _____. See C. P. Villareal, 337
- Kadan, R. S., and G. M. Ziegler, Jr. Changes in iron forms during extrusion processing, 256
- Kaldy, M. S., and G. L. Rubenthaler. Milling, baking, and physical-chemical properties of selected soft white winter and spring wheats, 302
- Kaufman, S. P., and O. Fennema. Evaluation of sulfhydryl oxidase as a strengthening agent for wheat flour dough, 172
- Kayne, B. E. See N. D. Cady, 193
- Keim, K. S., C. L. Holloway, and M. Hebsted. Absorption of chromium as affected by wheat bran, 352
- Kilborn, R. H. See P. C. Williams, 422
- King, R. D., and H. M. Dietz. Air classification of rapeseed meal, 411
- Klein, D. E. See F. Y. Iskander, 285
- Kloek, M. See P. C. Williams, 422
- Knabe, D. A. See S. O. Serna-Saldivar, 247
- Knorr, D. Compressibility of baked goods after carbon dioxide atmosphere processing and storage, 150
- Knutson, C. A. See B. R. Krueger, 187
- Koepp, S. J., P. L. Harris, M. A. Hanna, J. H. Rupnow, C. E. Walker, and S. L. Cuppett. Physical properties and some nutritional characteristics of an extrusion product with defatted amaranth seeds and defatted maize gluten meal (80:20 ratio), 332
- Koyoro, H., and J. R. Powers. Functional properties of pea globulin fractions, 97
- Krishnan, P. G., K. C. Chang, and G. Brown. Effect of commercial oat bran on the characteristics and composition of bread, 55
- Krueger, B. R., C. E. Walker, C. A. Knutson, and G. E. Inglett. Differential scanning calorimetry of raw and annealed starch isolated from normal and mutant maize genotypes, 187
- Kulkarni, R. G., J. G. Ponte, Jr., and K. Kulp. Significance of gluten content as an index of flour quality, 1
- Kulp, K. See R. G. Kulkarni, 1
- _____. See T. A. Kuracina, 182
- Kuracina, T. A., K. Lorenz, and K. Kulp. Starch functionality as affected by amylases from different sources, 182
- Kurina, F. D. See R. Tkachuk, 418
- Lehtonen, M., and R. Aikasalo. Note: Pentosans in barley varieties, 133
- _____, and _____. Note: β -Glucan in two- and six-rowed barley, 191
- Lilley, G. G. See S. K. Sathe, 380
- Llamas, G. See J.-L. Doublier, 21
- Lookhart, G. L. Communication to the editor: Gliadins treated with trifluoroacetic acid are water soluble, 452
- _____, L. E. Albers, Y. Pomeranz, and B. D. Webb. Identification of U.S. rice cultivars by high-performance liquid chromatography, 199
- _____. See M. Menkovska, 311
- Lorenz, K. See T. A. Kuracina, 182
- Love, G. R., and L. M. Seitz. Effects of location and cultivar on Fusarium head blight (scab) in wheat from Kansas in 1982 and 1983, 124
- Lund, D. B. See A. Chungcharoen, 240
- Lundgren, B. See U. Stöhlman, 230
- Lupano, C. E., and M. C. Añón. Denaturation of wheat endosperm proteins during drying, 437
- Ma, C.-Y., and V. R. Harwalker. Thermal coagulation of oat globulin, 212
- Mahoney, A. W. See A. M. Thannoun, 399
- Mamaril, C. P. See B. O. Juliano, 27
- Maranville, J. W. See B. O. Juliano, 27
- Mares, D. J. See A. S. Dhaliwal, 72
- Marshall, D. R. See A. S. Dhaliwal, 72
- Martin, C. R., Z. Czuchajowska, and Y. Pomeranz. Note: Evaluation of digitally filtered aquagram signals of wet and dry corn mixtures, 356
- Mason, A. C. See S. K. Sathe, 380
- Mazza, G. See A. O. F. Ehiwe, 237
- Mendoza M., C., and Bressani, R. Nutritional and functional characteristics of extrusion-cooked amaranth flour, 218
- Menkovska, M., G. L. Lookhart, and Y. Pomeranz. Changes in the gliadin fraction(s) during breadmaking: Isolation and characterization by high-performance liquid chromatography and polyacrylamide gel electrophoresis, 311
- Miller, R. E. See C. S. Gaines, 46
- Miller, W. G. See L. E. Pearce, 154
- Milliken, G. A. See L. C. Doescher, 158, 163
- Momuat, C. J. S. See B. O. Juliano, 27
- Morad, M. M. See F. Y. Iskander, 285
- Munck, L. See P. Vaag, 59
- Nagao, S. See S. Endo, 110
- _____. See K. Okada, 3, 428
- Navickis, L. L. Corn flour addition to wheat flour dough—effect on rheological properties, 307
- Negishi, Y. See K. Okada, 3, 428
- Ng, P. K. W., and W. Bushuk. Glutenin of Marquis wheat as a reference for estimating molecular weights of glutenin subunits by sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 324
- Nigam, S. N. See U. J. S. Prasada Rao, 168
- Nowakowski, D. M., F. W. Sosulski, and R. D. Reichert. Air classification of pin-milled break and middling flours from hard red spring wheat, 363
- Okada, K., Y. Negishi, and S. Nagao. Studies on heavily ground flour using roller mills. II. Chemical alteration of proteins, particularly globulin, during dough mixing, 3
- _____, _____. Factors affecting dough breakdown during overmixing, 428
- _____. See S. Endo, 110
- Paton, D. Differential scanning calorimetry of oat starch pastes, 394
- _____. See J.-L. Doublier, 21
- Paukstelis, J. V. See L. M. Hansen, 449
- Pearce, L. E., E. A. Davis, J. Gordon, and W. G. Miller. Stearic acid-starch interactions as measured by electron spin resonance, 154
- Peña, R. J., and G. M. Ballance. Comparison of gluten quality in triticale: A fractionation-reconstitution study, 128
- Perez, C. M. See B. O. Juliano, 27
- Pierce, M. M., and C. E. Walker. Addition of sucrose fatty acid ester emulsifiers to sponge cakes, 222
- Platt, S. R., and F. M. Clydesdale. Interactions of iron, alone and in combination with calcium, zinc, and copper, with a phytate-rich, fiber-rich fraction of wheat bran under gastrointestinal pH conditions, 102
- Poe, J. H. See C. A. Doherty, 42
- Pomeranz, Y. See S. Hashimoto, 30, 39
- _____. See G. L. Lookhart, 199
- _____. See C. R. Martin, 356
- _____. See M. Menkovska, 311
- _____. See G. L. Rubenthaler, 407
- _____. See M. D. Shogren, 35
- Ponte, J. G., Jr. See R. G. Kulkarni, 1
- Powers, J. R. See H. Koyoro, 97
- Prasada Rao, U. J. S., and S. N. Nigam. Gel filtration chromatography of glutenin in dissociating solvents: Effect of removing noncovalently bonded protein components on the viscoelastic character of glutenin, 168
- Price, R. L. See M. O. Wiseman, 91, 94
- Rasco, B. A., S. E. Downey, and F. M. Dong. Consumer acceptability of baked goods containing distiller's dried grains with solubles from soft white winter wheat, 139
- _____. See F. M. Dong, 327
- _____. See M. L. San Buenaventura, 135
- Reichert, R. D. See A. O. F. Ehiwe, 86, 237
- _____. See D. M. Nowakowski, 363

- _____. See R. Tkachuk, 418
- Renard, C., P. Robert, D. Bertrand, M. F. Devaux, and J. Abecassis. Qualitative characterization of the purity of milled durum wheat products by multidimensional statistical analysis of their mid-infrared diffuse reflectance spectra, 177
- Robert, P. See C. Renard, 177
- Rogers, D. E., and R. C. Hosney. Test to determine the optimum water absorption for saltine cracker dough, 370
- Rooney, L. W. See C. A. Doherty, 42
- _____. See D. S. Jackson, 196
- _____. See S. O. Serna-Saldivar, 247
- _____. See N. E. Vivas, 384, 390
- Rubenthaler, G. L., and Y. Pomeranz. Near-infrared reflectance spectra of hard red winter wheats varying widely in protein content and breadmaking potential, 407
- _____. See L. C. Doescher, 163
- _____. See M. S. Kaldy, 302
- Rupnow, J. H. See P. L. Harris, 283
- _____. See S. J. Koeppe, 332
- San Buenaventura, M. L., F. M. Dong, and B. A. Rasco. Note: The total dietary fiber content of wheat, corn, barley, sorghum, and distillers' dried grains with solubles, 135
- Sathe, S. K., G. G. Lilley, A. C. Mason, and C. M. Weaver. High-resolution sodium dodecyl sulfate polyacrylamide gel electrophoresis of soybean (*Glycine max* L.) seed proteins, 380
- Schwab, D. J. See A. O. F. Ehiwe, 237
- Seguchi, M. Note: Effect of chlorination on the hydrophobicity of wheat starch, 281
- Seitz, L. M. See G. R. Love, 124
- Serna-Saldivar, S. O., D. A. Knabe, L. W. Rooney, and T. D. Tanksley, Jr. Effects of lime cooking on energy and protein digestibilities of maize and sorghum, 247
- Setser, C. S. See L. M. Hansen, 449
- Shogren, M. D., S. Hashimoto, and Y. Pomeranz. Cereal pentosans: Their estimation and significance. II. Pentosans and breadmaking characteristics of hard red winter wheat flours, 35
- _____. See S. Hashimoto, 30, 39
- Slack, C. R. See W. P. Campbell, 293
- Sosulski, F. W. See D. M. Nowakowski, 363
- Stöllman, U., and B. Lundgren. Texture changes in white bread: Effects of processing and storage, 230
- Takahashi, N. See T. Yamagishi, 207
- Takano, H. See A. Hino, 269
- Tanaka, Y. See A. Hino, 269
- Tanksley, T. D., Jr. See S. O. Serna-Saldivar, 247
- Thannoun, A. M., A. W. Mahoney, D. G. Hendricks, and Zhang, D. Effect of meat-bread mixtures on bioavailability of total dietary iron for anemic rats, 399
- Tkachuk, R., F. D. Kuzina, and R. D. Reichert. Analysis of protein in ground and whole field peas by near-infrared reflectance, 418
- Uebbersax, M. A. See N. D. Cady, 193
- Unnikrishnan, K. R., and K. R. Bhattacharya. Influence of varietal difference on properties of parboiled rice, 315
- _____, and _____. Properties of pressure-parboiled rice as affected by variety, 321
- Vaag, P., and L. Munck. Immunochemical methods in cereal research and technology, 59
- Vaisey-Genser, M., G. Ylimaki, and B. Johnston. The selection of levels of canola oil, water, and an emulsifier system in cake formulations by response-surface methodology, 50
- VanDraese, H. T., and J. J. Warthesen. Thiamine partitioning and retention in cooked rice and pasta products, 116
- Villareal, C. P., and B. O. Juliano. Varietal differences in quality characteristics of puffed rice, 337
- Vivas, N. E., R. D. Waniska, and L. W. Rooney. Effect of tortilla production on proteins in sorghum and maize, 384
- _____, and _____. Thin porridges (*atole*) prepared from maize and sorghum, 390
- Vohra, P. See B. G. D. Banda-Nyirenda, 413
- Voisey, P. W. See P. C. Williams, 422
- Walker, C. E. See J. S. Buck, 264
- _____. See P. L. Harris, 283
- _____. See S. J. Koeppe, 332
- _____. See B. R. Krueger, 187
- _____. See M. M. Pierce, 222
- Wall, J. S., and J. A. Bietz. Differences in corn endosperm proteins in developing seeds of normal and *opaque-2* corn, 275
- Waniska, R. D. See C. A. Doherty, 42
- _____. See N. E. Vivas, 384, 390
- Warner, K. See Y. V. Wu, 434
- Warthesen, J. J. See H. T. VanDraese, 116
- Wasynczuk, A. M. See R. G. Elkin, 226
- Watson, K. S. See J. S. Buck, 264
- Weaver, C. M. See S. K. Sathe, 380
- Webb, B. D. See G. L. Lookhart, 199
- Weisz, J. See P. J. Wood, 8
- _____. See S. H. Yiu, 373
- Whitaker, J. R. See R. S. Bhaty, 144
- Williams, P. C., R. H. Kilborn, P. W. Voisey, and M. Klock. Measuring wheat hardness by revolutions per minute reduction, 422
- Wiseman, M. O., and R. L. Price. Characterization of protein concentrates of jojoba (*Simmondsia chinensis*) meal, 91
- _____, and _____. Functional properties of protein concentrates from pressed jojoba meal, 94
- Wood, P. J., and J. Weisz. Detection and assay of (1-4)- β -D-glucanase, (1-3)- β -D-glucanase, (1-3)(1-4)- β -D-glucanase, and xylanase based on complex formation of substrate with Congo red, 8
- _____. See S. H. Yiu, 373
- Wrigley, C. W. See W. P. Campbell, 293
- _____. See P. J. Cressey, 299
- Wu, Y. V. Recovery of protein-rich by-products from sweet sorghum grain stillage after alcohol distillation, 244
- _____. Recovery of stillage soluble solids from hard and soft wheat by reverse osmosis and ultrafiltration, 260
- _____, V. L. Youngs, K. Warner, and G. N. Bookwalter. Evaluation of spaghetti supplemented with corn distillers' dried grains, 434
- Yamagishi, T., N. Takahashi, and F. Yamauchi. Covalent polymerization of acidic subunits on heat-induced gelation of soybean glycinin, 207
- Yamauchi, F. See T. Yamagishi, 207
- Yiu, S. H., P. J. Wood, and J. Weisz. Effects of cooking on starch and β -glucan of rolled oats, 373
- Ylimaki, G. See M. Vaisey-Genser, 50
- Youngs, V. L. See Y. V. Wu, 434
- Zabik, M. E. See N. D. Cady, 193
- Zeleznek, K. J., and R. C. Hosney. The glass transition in starch, 121
- Zhang, D. See A. M. Thannoun, 399
- Ziegler, G. M., Jr. See R. S. Kadan, 256

Subject Index

Page numbers of errata are in *italics*.

- Acetic acid, insoluble protein, modification of (Okada et al), 428
- Acknowledgment of reviewers, v
- Air classification, of rapeseed meal (King and Dietz), 411
- Alcohol, distillation, protein-rich by-products recovery from sweet sorghum grain stillage (Wu), 244
- Amaranth, nutritional and functional properties of extruded product (Koeppel et al), 332
- Amino acids
 - analysis of by reversed-phase HPLC (Elkin and Wasynczuk), 226
 - sulfur, of brown rice protein (Juliano et al), 27
- Amylase, effects on starch (Kuracina et al), 182
- Ascorbic acid
 - analysis by differential pulse polarography in wheat flour (Cherdkiatgumchai and Grant), 288
 - inhibition of enzymatic oxidation by fluoride ion in wheat flour doughs (Grant), 403
- Baked goods
 - compressibility of (Knorr), 150
 - consumer sensory analysis (Rasco et al), 139
- Baking
 - bread quality of oat-bran supplemented wheat breads (Krishnan et al), 55
 - cake, levels of canola oil, water, and emulsifier system selected by response surface methodology (Vaisey-Genser et al), 50
 - of cakes and cookies using soft white wheats (Kaldy and Rubenthaler), 302
 - master mix using navy bean flour (Cady et al), 193
 - quality detected by RP-HPLC of wheat proteins (Huebner and Bietz), 15
 - sponge cakes, effect of sucrose fatty acid ester emulsifiers (Pierce and Walker), 222
- Barley
 - detection and assay of (1-3)- β -D-glucanase in malt (Wood and Weisz), 8
 - distillers' dried grains with solubles, total dietary fiber (San Buenaventura et al), 135
 - β -glucan in (Lehtonen and Aikasalo), 191
 - immunochemical methods for analysis of (Vaag and Munck), 59
 - pentosan contents in different varieties grown in Finland (Lehtonen and Aikasalo), 133
 - protein digestibilities of (Bhatti and Whitaker), 144
- Beer, immunochemical methods for analysis of (Vaag and Munck), 59
- Bioavailability
 - effect on iron forms during extrusion processing (Kadan and Ziegler), 256
 - wheat bran influence on chromium absorption (Keim et al), 352
- Bran
 - characterization by mid-infrared spectroscopy (Renard et al), 177
 - oat, dietary fiber and protein composition (Krishnan et al), 55
 - wheat
 - influence on chromium absorption (Keim et al), 352
 - interaction with minerals (Platt and Clydesdale), 102
- Bread and breadmaking
 - 1B/1R translocation wheats and their recurrent parents, properties of (Dhaliwal et al), 72
 - baking quality of flour stream (Endo et al), 110
 - bread containing corn gluten meal and/or soy (Buck et al), 264
 - changes in gliadin fraction during (Menkovska et al), 311
 - chemical leavening, effect of pH and certain ions (Holmes and Hosney), 343
 - freeze-tolerant yeast for frozen dough preparation, new (Hino et al), 269
 - frozen doughs (Holmes and Hosney), 348
 - loaf volume predicted by protein composition (Campbell et al), 293
 - loaf volume and protein composition correlation (Cressey et al), 299
 - NIR spectra of hard red winter wheats varying in protein content and breadmaking potential (Rubenthaler and Pomeranz), 407
 - oat bran effect on characteristics and composition of (Krishnan et al), 55
 - properties of, pentosan and protein contents related to (Shogren et al), 35
 - white bread, effects of processing and storage on texture (Stöhlman and Lundgren), 230
- Cakes and cookies
 - baked with soft white wheats (Kaldy and Rubenthaler), 302
- cakes, levels of canola oil, water, and emulsifier system selected by response surface methodology (Vaisey-Genser), 50
- cookies
 - containing corn gluten meal and/or soy (Buck et al), 264
 - effect of sugars and flours on spread, use of time-lapse photography (Doescher et al), 163
 - mechanism for dough setting (Doescher et al), 158, 292
 - performance of navy bean flour in oatmeal cookies (Cady et al), 193
 - sponge cake, effect of sucrose fatty acid ester emulsifiers (Pierce and Walker), 222
- Calcium, solubility in presence of phytate and minerals (Platt and Clydesdale), 102
- Cereal, research and technology, immunochemical methods in (Vaag and Munck), 59
- Chemical leavening, effect of certain ions on dough properties (Holmes and Hosney), 343
- Chlorination, of wheat starch (Seguchi), 281
- Chromium, absorption as affected by phytate (Keim et al), 352
- Coagulation, of oat globulin by heat (Ma and Harwalkar), 212
- Compressibility, of baked goods (Knorr), 150
- Cooking
 - nutrient losses during (VanDraese and Warthesen), 116
 - lime cooking, effects on nutritional value and digestibilities (Serna-Saldivar et al), 247
 - solubilization effects on oat starch and β -glucan (Yiu et al), 373
- Copper, phytate-mineral complexes (Platt and Clydesdale), 102
- Corn (also see Maize)
 - distillers' dried grains
 - protein quality (Dong et al), 327
 - with solubles, total dietary fiber (San Buenaventura et al), 135
 - spaghetti supplemented with (Wu et al), 434
 - endosperm protein differences in developing seeds of normal and opaque-2 (Wall and Bietz), 275
 - gluten meal, incorporation into cereal-based foods (Buck et al), 264
 - masa, moisture determination in (Jackson and Rooney), 196
 - starch-lipid complex, factors influencing (Hahn and Hood), 81
 - wet and dry mixtures, moisture determination (Martin et al), 356
- Cowpeas, dehulling quality of, determined with Tangential Abrasive Dehulling Device (Ehiwe and Reichert), 86
- Dehulling, variability quality of cowpea, pigeon pea, and mung bean using Tangential Abrasive Dehulling Device (Ehiwe and Reichert), 86
- Differential scanning calorimetry
 - solutes and water influence on rice starch gelatinization (Chungcharoen and Lund), 240
 - of starch from normal and mutant maize genotypes (Krueger et al), 187
- Distillers' dried grains, with solubles
 - sensory analysis of baked goods containing (Rasco et al), 139
 - total dietary fiber (San Buenaventura et al), 135
- Dough
 - breakdown during overmixing, factors affecting (Okada et al), 428
 - frozen
 - effect of freezing and thawing rates (Holmes and Hosney), 348
 - new freeze-tolerant yeast for frozen dough preparation (Hino et al), 269
 - mechanism for cookie setting (Doescher et al), 158, 292
 - mixing characteristics of flour streams (Endo et al), 110
 - oat bran replacement effect on physical dough properties (Krishnan et al), 55
 - resistance and extensibility relating to gluten proteins (Campbell et al), 293; (Cressey et al), 299
 - wheat flour, sulfhydryl oxidase as strengthening agent for (Kaufman and Fennema), 172
 - wheat flour-corn flour, rheological property changes with replacement (Navickis), 307
- Drying, modifications of wheat endosperm proteins (Lupano and Añón), 437
- Electron spin resonance, stearic acid-starch interactions as measured by (Pearce et al), 154
- Electrophoresis
 - of gliadins and glutenin subunits relating to grain quality (Campbell et al), 293; (Cressey et al), 299
 - PAGE of soft wheat gliadins (Clements), 442

Emulsifiers

- cakes, levels of canola oil, water, and emulsifier system selected by response surface methodology (Vaisey-Genser et al), 50
- sucrose fatty acid ester, effect on sponge cake (Pierce and Walker, 222)

Enzymes

- β -D-glucanase and xylanase assay (Wood and Weisz), 8
- bread-baking quality affected by (Kuracina et al), 182

Errata

- Doescher et al (vol. 64, p. 161), 292
- Gaines (vol. 63, p. 479), 198

Extrusion, iron form changes during processing (Kadan and Ziegler), 256

Extrusion cooking

- amaranth flour, nutritional and functional characteristics of, 218
- complementary blend of amaranth and maize gluten meal (Koeppel et al), 332

Fiber

- characterization of wheat bran by mid-infrared spectroscopy (Renard et al), 177
- dietary, composition in oat-bran supplemented breads (Krishnan et al), 55
- interaction with minerals (Platt and Clydesdale), 102
- total dietary, distillers' dried grains with solubles, wheat, corn, barley, and sorghum (San Buenaventura et al), 135

Flour

- amaranth, nutritional and functional characteristics of extrusion-cooked (Mendoza and Bressani), 218
- differences in hard and soft wheat for cookies (Doescher et al), 158, 292
- effect on cookie spread (Doescher et al), 163
- gluten content, relation to protein (Kulkarni et al), 1

Fractionation, and reconstitution of triticale flours (Peña and Ballance, 128)

Fusarium head blight (scab), in wheat, effects of location and cultivar on (Love and Seitz), 124

Gelatinization, rice starch, influence of solutes and water on (Chungcharoen and Lund), 240

Gliadin

- changes during breadmaking (Menkovska et al), 311
- reversed-phase high-performance liquid chromatography (Huebner and Bietz), 15
- soft wheat PAGE patterns (Clements), 442
- solubility in water after TFA treatment, communication to editor (Lookhart), 452

Globulin, fractionation by gel filtration (Okada et al), 3

β -Glucan

- oat, solubilization by different cooking methods (Yiu et al), 373
- in two- and six-rowed barley (Lehtonen and Aikasalo), 191

β -D-Glucanase, detection and assay by means of Congo red complex (Wood and Weisz), 8

Glucose syrups, HPLC analyses and characterization of (Brooks and Griffin), 253

Glucosinolates, fractionation during air classification of rapeseed meal (King and Dietz), 411

Gluten

- determination, relation to flour protein (Kulkarni et al), 1
- quality comparison among triticales (Peña and Ballance), 128

Glutenin

- effect of removing noncovalently bonded protein components on viscoelastic character of (Prasada Rao and Nigam), 168
- reversed-phase high-performance liquid chromatography (Huebner and Bietz), 15
- subunit molecular weights by SDS-PAGE (Ng and Bushuk), 324

Grain

- pentosans in (Hashimoto et al), 39
- sweet sorghum, protein-rich by-products recovery from stillage after alcohol distillation (Wu), 244

Hardness

- rice, factors affecting (Villareal and Juliano), 337
- rpm reduction, for wheat hardness determination (Williams et al), 422

HPLC

- of amino acids in feedstuff hydrolysates (Elkin and Wasynczuk), 226
- analysis and characterization of glucose syrups and maltodextrins (Brooks and Griffin), 253
- analysis of rice prolamins for identification (Lookhart et al), 199
- for gliadin analysis (Menkovska et al), 311
- improvements for analysis of wheat proteins (Huebner and Bietz), 15

Instructions to authors, iii

Iron

- forms in extruded foods (Kadan and Ziegler), 256
- solubility, effects of bran and phytate on (Platt and Clydesdale), 102

Joboba meal, protein concentrates, characterization and functional properties of (Wiseman and Price), 91

Legumes, globulins in (Koyoro and Powers), 97

Lime cooking, effects on nutritional value and digestibilities (Serna-Saldivar et al), 247

Lipids, starch complex, factors influencing and method to quantify (Hahn and Hood), 81

Lysine, changes in lysine levels in developing kernels of normal and high-lysine lines (Ejeta and Axtell), 137

Maize (also see Corn)

- gluten meal, lipid and color evaluations of (Harris et al), 283
- lime-cooked, nutritional value and amino acid composition (Serna-Saldivar et al), 247

proteins in, effect of tortilla production on (Vivas et al), 384

starch, differential scanning calorimetry of (Kreuger et al), 187

thin porridge prepared from (Vivas et al), 390

Maize gluten meal, nutritional and functional properties of an extruded product (Koeppel et al), 332

Malt, immunochemical methods for analysis of (Vaag and Munck), 59

Maltodextrins, HPLC analyses and characterization of (Brooks and Griffin), 253

Masa, moisture determination in (Jackson and Rooney), 196

Methods

- ^{13}C nuclear magnetic resonance spectroscopic, for starch investigations (Hansen et al), 449

gluten washing (Kulkarni et al), 1

immunochemical, applications in basic and applied studies of barley, malt, and beer (Vaag and Munck), 59

rpm reduction, for wheat hardness determination (Williams et al), 422

starch-lipid complex quantification (Hahn and Hood), 77

wheat kernel texture, measurement of, in bulk samples (Gaines et al), 46

Milling

by-products, pentosans in (Hashimoto et al), 39

of hard and soft wheats and their 1B/1R derivatives (Dhaliwal et al), 72

heavily ground flour using roller mills (Okada et al), 3

properties of soft white wheats (Kaldy and Rubenthaler), 302

Minerals

bioavailability of (Platt and Clydesdale), 102

determination in hard and soft red winter wheat (Iskander et al), 285

in pasta, contents and retention of (Albrecht et al), 106

Mixing, changes of globulin during dough mixing (Okada et al), 3

Mixograms, changes with wheat flour-corn flour composition (Navickis), 307

Moisture

in corn kernels, standard deviations (Martin et al), 356

determination in masa (Jackson and Rooney), 196

Molecular weight, of glutenin subunits by SDS-PAGE (Ng and Bushuk), 324

Near-Infrared (NIR) spectroscopy

analysis of protein in ground and whole field peas by (Tkachuk et al), 418

grinder comparison for (Gaines et al), 46

of hard red winter wheats varying in protein content and breadmaking potential (Rubenthaler and Pomeranz), 407

Nutrition, characteristics of amaranth flour (Mendoza and Bressani), 218

Oat globulin, thermal coagulation of (Ma and Harwalkar), 212

Oats, cooking effects on starch and β -glucan (Yiu et al), 373

Oil, canola, low erucic acid rapeseed oil in cakes (Vaisey-Genser et al), 50

PAGE, for gliadin analysis (Menkovska et al), 311

Pasta

containing corn gluten meal and/or soy (Buck et al), 264

sodium and other minerals in, contents and retentions of (Albrecht et al), 106

thiamine retention (VanDrasek and Warthesen), 116

Pea

field, analysis of protein by NIR, in ground and whole seed (Tkachuk et al), 418

moisture and temperature effects on seed coat durability (Ehiwe et al), 237


protein functionality (Koyoro and Powers), 97

Pentosans

in barley grown in Finland (Lehtonen and Aikasalo), 133

- cereal, estimation and significance of
in abraded grains and milling by-products (Hashimoto et al), 39
and protein relations (Shogren et al), 35
in wheat and milled wheat products (Hashimoto et al), 30
- Phenolic compounds, free, in sorghum caryopsis and glumes (Doherty et al), 42
- Phytate, interaction with minerals (Platt and Clydesdale), 102
- Phytic acid
fractionation during air classification of rapeseed meal (King and Dietz), 411
influence of chromium absorption (Keim et al), 352
- Polarography, differential pulse, analysis of ascorbic acid in wheat flour by (Cherdkiatgumchai and Grant), 288
- Porridge, prepared from maize and sorghum (Vivas et al), 390
- Prolamins
analysis of rice by HPLC (Lookhart et al), 199
effect of trifluoroacetic acid on water solubility of, communication to editor (Lookhart), 452
- Protein
changes in protein levels in developing kernels of normal and high lysine lines (Ejeta and Axtell), 137
chemical effect on solubility (Endo et al), 110
composition and grain quality (Campbell et al), 293; (Cressey et al), 299
determination in hard and soft red winter wheat (Iskander et al), 285
digestibilities of barleys and their isolated protein fractions (Bhatty and Whitaker), 144
in field peas, analysis in ground and whole seed by NIR (Tkachuk et al), 418
functionality (Koyoro and Powers), 97
heat denaturation of wheat endosperm proteins (Lupano and Añón), 437
of jojoba meal
characterization (Wiseman and Price), 91
functional properties of (Wiseman and Price), 94
nutritional quality of oat-bran supplemented breads (Krishnan et al), 55
oat, thermal coagulation (Ma and Harwalkar), 212
quality of wheat and corn distillers' dried grains (Dong et al), 327
soybean seed, high-resolution SDS-PAGE of (Sathe et al), 380
tortilla production effect on (Vivas et al), 384
- Rapeseed, air classification of (King and Dietz), 411
- Rheology
dough, as affected by ascorbic acid and fluoride ion (Grant), 403
of flour streams during dough mixing (Endo et al), 110
oat starch pastes, investigation of (Doublier et al), 21
of wheat flour-corn flour doughs (Navickis), 307
- Rice
brown, elements of (Juliano et al), 27
identification of cultivars by HPLC (Lookhart et al), 199
parboiled, varietal effect on properties (Unnikrishnan and Bhattacharya), 315, 321
puffed, varietal differences (Villareal and Juliano), 337
thiamine retention (VanDrasek and Warthesen), 116
- SDS-PAGE
estimation of molecular weights of glutenin subunits (Ng and Bushuk), 324
high-resolution, of soybean seed proteins (Sathe et al), 380
of wheat endosperm proteins (Lupano and Añón), 437
- Seed coat, durability of as affected by seed moisture and temperature (Ehiwe et al), 237
- Semolina, characterization by mid-infrared spectroscopy (Renard et al), 177
- Sodium, in pasta, contents and retention of (Albrecht et al), 106
- Sorghum
caryopsis and glumes, phenolic compounds and tannins in (Doherty et al), 42
decortication, lime cooked, nutritional value and amino acid composition (Serna-Saldivar et al), 247
nutritional evaluation of (Banda-Nyirenda et al), 413
protein and lysine levels in developing kernels (Ejeta and Axtell), 137
proteins in, effect of tortilla production on (Vivas et al), 384
thin porridge prepared from (Vivas et al), 390
- Soy, incorporation into cereal-based foods (Buck et al), 264
- Soybean
glycinin, polymerization of acidic subunits on (Yamagishi et al), 207
seed proteins, high-resolution SDS-PAGE of (Sathe et al), 380
- Spaghetti, supplemented with corn distillers' dried grains (Wu et al), 434
- Starch
¹³C nuclear magnetic resonance investigations (Hansen et al), 449
functionality affected by amylases (Kuracina et al), 182
glass transition in (Zeleznek and Hosney), 121
lipid complex
factors influencing (Hahn and Hood), 81
method to quantify (Hahn and Hood), 77
maize, differential scanning calorimetry of (Krueger et al), 187
oat
cooking effect on solubilization and digestibility (Yiu et al), 373
rheological investigation of pastes of (Doublier et al), 21
stearic acid interactions, measured by electron spin resonance (Pearce et al), 154
wheat, hydrophobicity (Seguchi), 281
- Storage, effects on white bread texture (Stöllman and Lundgren), 230
- Sugar, effect of cookie spread (Doescher et al), 163
- Sulphydryl oxidase, effect on wheat dough (Kaufman and Fennema), 172
- Sulfur, deficiency and amino acid sulfur (Juliano et al), 27
- Tannins, in sorghum caryopsis and glumes (Doherty et al), 42
- Thiamine, retention in cooked cereal products (VanDrasek and Warthesen), 116
- Tortilla, production effect on sorghum and maize proteins (Vivas et al), 384
- Trifluoroacetic acid, effect on solubility of gliadins, communication to editor (Lookhart), 452
- Triticale, gluten quality comparison (Peña and Ballance), 128
- Ultrafiltration, for recovery of stillage soluble solids from hard and soft wheat (Wu), 260
- Viscoelasticity, role of noncovalently bonded proteins in glutenin (Prasada Rao and Nigam), 168
- Wheat
distillers' dried grains
protein quality (Dong et al), 327
with solubles, total dietary fiber (San Buenaventura et al), 135
Do-Corder studies on dough development (Endo et al), 110
drying effect on endosperm proteins (Lupano and Añón), 437
durum, characterization of milled products by mid-infrared spectroscopy (Renard et al), 177
flours, pentosan and protein content (Shogren et al), 35
Fusarium head blight (scab), effects on location and cultivar on (Love and Seitz), 124
glutenin subunit molecular weights by SDS-PAGE (Ng and Bushuk), 324
hard and soft, recovery of stillage soluble solids from, by reverse osmosis and ultrafiltration (Wu), 260
hard and soft red winter, mineral and protein content of (Iskander et al), 285
hardness determination, by grinder rpm reduction (Williams et al), 422
hard red winter, NIR spectra of those varying in protein content and breadmaking potential (Rubenthaler and Pomeranz), 407
HPLC analysis of gliadins and glutenins (Huebner and Bietz), 15
kernel texture, measurement methods (Gaines et al), 46
milling and quality characteristics of commercial wheats and their 1B/1R derivatives (Dhaliwal et al), 72
pentosans in, estimation and significance of (Hashimoto et al), 30
soft, PAGE gliadin patterns (Clements), 442
soft white winter, distillers' dried grains with solubles (Rasco et al), 139
Wheat bran, influence on chromium absorption (Keim et al), 352
- Xylanase, detection of gel diffusion (Wood and Weisz), 8
- Yeast, freeze-tolerant, new for frozen dough preparation (Hino et al), 269
- Zinc, phytate-mineral complexes (Platt and Clydesdale), 102





- ii Instructions to Authors
- v Acknowledgment of Reviewers
- 1 Significance of Gluten Content as an Index of Flour Quality.
R. G. Kulkarni, J. G. Ponte, Jr., and K. Kulp
- 3 Studies on Heavily Ground Flour Using Roller Mills. II. Chemical Alteration of Proteins, Particularly Globulin, During Dough Mixing.
K. Okada, Y. Negishi, and S. Nagao
- 8 Detection and Assay of (1→4)- β -D-Glucanase, (1→3)- β -D-Glucanase, (1→3)(1→4)- β -D-Glucanase, and Xylanase Based on Complex Formation of Substrate with Congo Red. *P. J. Wood and J. Weisz*
- 15 Improvements in Wheat Protein Analysis and Quality Prediction by Reversed-Phase High-Performance Liquid Chromatography.
F. R. Huebner and J. A. Bietz
- 21 A Rheological Investigation of Oat Starch Pastes. *J.-L. Doublier, D. Paton, and G. Llamas*
- 27 Effect of Soil Sulfur Deficiency on Sulfur Amino Acids and Elements in Brown Rice. *B. O. Juliano, M. G. B. Ibabao, C. M. Perez, R. B. Clark, J. W. Maranville, C. P. Mamaril, N. H. Choudhury, C. J. S. Momuat, and I. G. Corpuz*
- 30 Cereal Pentosans: Their Estimation and Significance. I. Pentosans in Wheat and Milled Wheat Products. *S. Hashimoto, M. D. Shogren, and Y. Pomeranz*
- 35 Cereal Pentosans: Their Estimation and Significance. II. Pentosans and Breadmaking Characteristics of Hard Red Winter Wheat Flours. *M. D. Shogren, S. Hashimoto, and Y. Pomeranz*
- 39 Cereal Pentosans: Their Estimation and Significance. III. Pentosans in Abraded Grains and Milling By-Products. *S. Hashimoto, M. D. Shogren, L. C. Bolte, and Y. Pomeranz*
- 42 Free Phenolic Compounds and Tannins in Sorghum Caryopsis and Glumes During Development. *C. A. Doherty, R. D. Waniska, L. W. Rooney, C. F. Earp, and J. H. Poe*
- 46 Optimizing Grinder Type and Methods of Expressing Wheat Meal Particle Size for Wheat Texture (Hardness or Softness) Measurement and Near-Infrared Reflectance Spectroscopy. *C. S. Gaines, R. E. Miller, J. R. Donelson, and M. M. Bean*
- 50 The Selection of Levels of Canola Oil, Water, and an Emulsifier System in Cake Formulations by Response-Surface Methodology. *M. Vaisey-Genser, G. Ylimaki, and B. Johnston*
- 55 Effect of Commercial Oat Bran on the Characteristics and Composition of Bread. *P. G. Krishnan, K. C. Chang, and G. Brown*

- 59 Immunochemical Methods in Cereal Research and Technology. *P. Vaag and L. Munck*
- 72 Effect of 1B-1R Chromosome Translocation on Milling and Quality Characteristics of Bread Wheats. *A. S. Dhaliwal, D. J. Mares, and D. R. Marshall*
- 77 Development of an Equilibrium Dialysis Technique for Quantifying Starch-Lipid Complexes. *D. E. Hahn and L. F. Hood*
- 81 Factors Influencing Corn Starch-Lipid Complexing. *D. E. Hahn and L. F. Hood*
- 86 Variability in Dehulling Quality of Cowpea, Pigeon Pea, and Mung Bean Cultivars Determined with the Tangential Abrasive Dehulling Device. *A. O. F. Ehiwe and R. D. Reichert*
- 91 Characterization of Protein Concentrates of Jojoba (*Simmondsia chinensis*) Meal. *M. O. Wiseman and R. L. Price*
- 94 Functional Properties of Protein Concentrates from Pressed Jojoba Meal. *M. O. Wiseman and R. L. Price*
- 97 Functional Properties of Pea Globulin Fractions. *H. Koyoro and J. R. Powers*
- 102 Interactions of Iron, Alone and in Combination with Calcium, Zinc, and Copper, with a Phytate-Rich, Fiber-Rich Fraction of Wheat Bran Under Gastrointestinal pH Conditions. *S. R. Platt and F. M. Clydesdale*
- 106 Contents and Retentions of Sodium and Other Minerals in Pasta Cooked in Unsalted or Salted Water. *J. A. Albrecht, E. H. Asp, and I. M. Buzzard*
- 110 Studies on Dough Development. III. Mixing Characteristics of Flour Streams and Their Changes During Dough Mixing in the Presence of Chemicals. *S. Endo, K. Okada, and S. Nagao*
- 116 Thiamine Partitioning and Retention in Cooked Rice and Pasta Products. *H. T. VanDrasek and J. J. Warthesen*
- 121 The Glass Transition in Starch. *K. J. Zeleznak and R. C. Hoseney*
- 124 Effects of Location and Cultivar on Fusarium Head Blight (Scab) in Wheat from Kansas in 1982 and 1983. *G. R. Love and L. M. Seitz*
- 128 Comparison of Gluten Quality in Triticale: A Fractionation-Reconstitution Study. *R. J. Peña and G. M. Ballance*
- 133 NOTE: Pentosans in Barley Varieties. *M. Lehtonen and R. Aikasalo*
- 135 NOTE: The Total Dietary Fiber Content of Wheat, Corn, Barley, Sorghum, and Distillers' Dried Grains with Solubles. *M. L. San Buenaventura, F. M. Dong, and B. A. Rasco*

- 137 Protein and Lysine Levels in Developing Kernels of Normal and High-Lysine Sorghum. *G. Ejeta and J. Axtell*
- 139 Consumer Acceptability of Baked Goods Containing Distiller's Dried Grains with Solubles from Soft White Winter Wheat. *B. A. Rasco, S. E. Downey, and F. M. Dong*
- 144 In Vivo and In Vitro Protein Digestibilities of Regular and Mutant Barleys and Their Isolated Protein Fractions. *R. S. Bhatti and J. R. Whitaker*
- 150 Compressibility of Baked Goods After Carbon Dioxide Atmosphere Processing and Storage. *D. Knorr*
- 154 Stearic Acid-Starch Interactions as Measured by Electron Spin Resonance. *L. E. Pearce, E. A. Davis, J. Gordon, and W. G. Miller*
- 158 A Mechanism for Cookie Dough Setting. *L. C. Doescher, R. C. Hoseney, and G. A. Milliken*
- 163 Effect of Sugars and Flours on Cookie Spread Evaluated by Time-Lapse Photography. *L. C. Doescher, R. C. Hoseney, G. A. Milliken, and G. L. Rubenthaler*
- 168 Gel Filtration Chromatography of Glutenin in Dissociating Solvents: Effect of Removing Noncovalently Bonded Protein Components on the Viscoelastic Character of Glutenin. *U. J. S. Prasada Rao and S. N. Nigam*
- 172 Evaluation of Sulfhydryl Oxidase as a Strengthening Agent for Wheat Flour Dough. *S. P. Kaufman and O. Fennema*
- 177 Qualitative Characterization of the Purity of Milled Durum Wheat Products by Multidimensional Statistical Analysis of Their Mid-Infrared Diffuse Reflectance Spectra. *C. Renard, P. Robert, D. Bertrand, M. F. Devaux, and J. Abecassis*
- 182 Starch Functionality as Affected by Amylases from Different Sources. *T. A. Kuracina, K. Lorenz, and K. Kulp*
- 187 Differential Scanning Calorimetry of Raw and Annealed Starch Isolated from Normal and Mutant Maize Genotypes. *B. R. Krueger, C. E. Walker, C. A. Knutson, and G. E. Inglett*
- 191 NOTE: β -Glucan in Two- and Six-Rowed Barley. *M. Lehtonen and R. Aikasalo*
- 193 NOTE: Navy Bean Flour Substitution in a Master Mix Used for Muffins and Cookies. *N. D. Cady, A. E. Carter, B. E. Kayne, M. E. Zabik, and M. A. Uebersax*
- 196 NOTE: Rapid Determination of Moisture in Masa with a Domestic Microwave Oven. *D. S. Jackson and L. W. Rooney*
- 198 Erratum

- 199 Identification of U.S. Rice Cultivars by High-Performance Liquid Chromatography. *G. L. Lookhart, L. E. Albers, Y. Pomeranz, and B. D. Webb*
- 207 Covalent Polymerization of Acidic Subunits on Heat-Induced Gelation of Soybean Glycinin. *T. Yamagishi, N. Takahashi, and F. Yamauchi*
- 212 Thermal Coagulation of Oat Globulin. *C.-Y. Ma and V. R. Harwalkar*
- 218 Nutritional and Functional Characteristics of Extrusion-Cooked Amaranth Flour. *C. Mendoza M. and R. Bressani*
- 222 Addition of Sucrose Fatty Acid Ester Emulsifiers to Sponge Cakes. *M. M. Pierce and C. E. Walker*
- 226 Amino Acid Analysis of Feedstuff Hydrolysates by Precolumn Derivatization with Phenylisothiocyanate and Reversed-Phase High-Performance Liquid Chromatography. *R. G. Elkin and A. M. Wasynczuk*
- 230 Texture Changes in White Bread: Effects of Processing and Storage. *U. Strollman and B. Lundgren*
- 237 Effect of Seed Moisture Content and Temperature on the Seed Coat Durability of Field Pea. *A. O. F. Ehiwe, R. D. Reichert, D. J. Schwab, E. S. Humbert, and G. Mazza*
- 240 Influence of Solutes and Water on Rice Starch Gelatinization. *A. Chungcharoen and D. B. Lund*
- 244 Recovery of Protein-Rich By-Products from Sweet Sorghum Grain Stillage After Alcohol Distillation. *Y. V. Wu*
- 247 Effects of Lime Cooking on Energy and Protein Digestibilities of Maize and Sorghum. *S. O. Serna-Saldivar, D. A. Knabe, L. W. Rooney, and T. D. Tanksley, Jr.*
- 253 Saccharide Analysis of Corn Syrup Solids and Maltodextrins Using High-Performance Liquid Chromatography. *J. R. Brooks and V. K. Griffin*
- 256 Changes in Iron Forms During Extrusion Processing. *R. S. Kadan and G. M. Ziegler, Jr.*
- 260 Recovery of Stillage Soluble Solids from Hard and Soft Wheat by Reverse Osmosis and Ultrafiltration. *Y. V. Wu*
- 264 Incorporation of Corn Gluten Meal and Soy into Various Cereal-Based Foods and Resulting Product Functional, Sensory, and Protein Quality. *J. S. Buck, C. E. Walker, and K. S. Watson*
- 269 New Freeze-Tolerant Yeast for Frozen Dough Preparations. *A. Hino, H. Takano, and Y. Tanaka*
- 275 Differences in Corn Endosperm Proteins in Developing Seeds of Normal and *Opaque-2* Corn. *J. S. Wall and J. A. Bietz*
- 281 NOTE: Effect of Chlorination on the Hydrophobicity of Wheat Starch. *M. Seguchi*

- 283 NOTE: Lipid and Color Evaluations of Solvent-Extracted Maize Gluten Meal. *P. L. Harris, S. L. Cuppett, C. E. Walker, and J. H. Rupnow*
- 285 NOTE: Determination of Protein and 11 Elements in Six Milling Fractions of Two Wheat Varieties. *F. Y. Iskander, M. M. Morad, D. E. Klein, and T. L. Bauer*
- 288 NOTE: The Determination of Ascorbic Acid in Wheat Flour Suspension by Differential Pulse Polarography. *P. Cherdkiatgumchai and D. R. Grant*

VOLUME 64, NUMBER 5

SEPTEMBER-OCTOBER 1987

- 293 Statistical Correlations Between Quality Attributes and Grain-Protein Composition for 71 Hexaploid Wheats Used as Breeding Parents. *W. P. Campbell, C. W. Wrigley, P. J. Cressey, and C. R. Slack*
- 299 Statistical Correlations Between Quality Attributes and Grain-Protein Composition for 60 Advanced Lines of Crossbred Wheat. *P. J. Cressey, W. P. Campbell, C. W. Wrigley, and W. B. Griffin*
- 302 Milling, Baking, and Physical-Chemical Properties of Selected Soft White Winter and Spring Wheats. *M. S. Kaldy and G. L. Rubenthaler*
- 307 Corn Flour Addition to Wheat Flour Doughs—Effect on Rheological Properties. *L. L. Navickis*
- 311 Changes in the Gliadin Fraction(s) During Breadmaking: Isolation and Characterization by High-Performance Liquid Chromatography and Polyacrylamide Gel Electrophoresis. *M. Menkovska, G. L. Lookhart, and Y. Pomeranz*
- 315 Influence of Varietal Difference on Properties of Parboiled Rice. *K. R. Unnikrishnan and K. R. Bhattacharya*
- 321 Properties of Pressure-Parboiled Rice as Affected by Variety. *K. R. Unnikrishnan and K. R. Bhattacharya*
- 324 Glutenin of Marquis Wheat as a Reference for Estimating Molecular Weights of Glutenin Subunits by Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. *P. K. W. Ng and W. Bushuk*
- 327 A Protein Quality Assessment of Wheat and Corn Distillers' Dried Grains with Solubles. *F. M. Dong, B. A. Rasco, and S. S. Gazzaz*
- 332 Physical Properties and Some Nutritional Characteristics of an Extrusion Product with Defatted Amaranth Seeds and Defatted Maize Gluten Meal (80:20 Ratio). *S. J. Koepe, P. L. Harris, M. A. Hanna, J. H. Rupnow, C. E. Walker, and S. L. Cuppett*
- 337 Varietal Differences in Quality Characteristics of Puffed Rices. *C. P. Villareal and B. O. Juliano*

- 343 Chemical Leavening: Effect of pH and Certain Ions on Breadmaking Properties. *J. T. Holmes and R. C. Hoseney*
- 348 Frozen Doughs: Freezing and Thawing Rates and the Potential of Using a Combination of Yeast and Chemical Leavening. *J. T. Holmes and R. C. Hoseney*
- 352 Absorption of Chromium as Affected by Wheat Bran. *K. S. Keim, C. L. Holloway, and M. Hebsted*
- 356 NOTE: Evaluation of Digitally Filtered Aquagram Signals of Wet and Dry Corn Mixtures. *C. R. Martin, Z. Czuchajowska, and Y. Pomeranz*

VOLUME 64, NUMBER 6

NOVEMBER-DECEMBER 1987

- 359 High α -Amylase Flours: Effect of pH, Acid, and Salt on Paste Characteristics. *K. Harinder and G. S. Bains*
- 363 Air Classification of Pin-Milled Break and Middling Flours from Hard Red Spring Wheat. *D. M. Nowakowski, F. W. Sosulski, and R. D. Reichert*
- 370 Test to Determine the Optimum Water Absorption for Saltine Cracker Doughs. *D. E. Rogers and R. C. Hoseney*
- 373 Effects of Cooking on Starch and β -Glucan of Rolled Oats. *S. H. Yiu, P. J. Wood, and J. Weisz*
- 380 High-Resolution Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis of Soybean (*Glycine max* L.) Seed Proteins. *S. K. Sathe, G. G. Lilley, A. C. Mason, and C. M. Weaver*
- 384 Effect of Tortilla Production on Proteins in Sorghum and Maize. *N. E. Vivas, R. D. Waniska, and L. W. Rooney*
- 390 Thin Porridges (*Atole*) Prepared from Maize and Sorghum. *N. E. Vivas, R. D. Waniska, and L. W. Rooney*
- 394 Differential Scanning Calorimetry of Oat Starch Pastes. *D. Paton*
- 399 Effect of Meat-Bread Mixtures on Bioavailability of Total Dietary Iron for Anemic Rats. *A. M. Thannoun, A. W. Mahoney, D. G. Hendricks, and D. Zhang*
- 403 Ascorbate Oxidase Inhibition in Dough by Fluoride Ion and Its Effect upon Dough Rheology. *D. R. Grant*
- 407 Near-Infrared Reflectance Spectra of Hard Red Winter Wheats Varying Widely in Protein Content and Breadmaking Potential. *G. L. Rubenthaler and Y. Pomeranz*
- 411 Air Classification of Rapeseed Meal. *R. D. King and H. M. Dietz*

- 413 Nutritional Evaluation of Some Varieties of Sorghums (*Sorghum bicolor* (L.) Moench). *D. B. G. Banda-Nyirenda, P. Vohra, and K. H. Ingebretson*
- 418 Analysis of Protein in Ground and Whole Field Peas by Near-Infrared Reflectance. *R. Tkachuk, F. D. Kuzina, and R. D. Reichert*
- 422 Measuring Wheat Hardness by Revolutions per Minute Reduction. *P. C. Williams, R. H. Kilborn, P. W. Voisey, and M. Kloeck*
- 428 Factors Affecting Dough Breakdown During Overmixing. *K. Okada, Y. Negishi, and S. Nagao*
- 434 Evaluation of Spaghetti Supplemented with Corn Distillers' Dried Grains. *Y. V. Wu, V. L. Youngs, K. Warner, and G. N. Bookwalter*
- 437 Denaturation of Wheat Endosperm Proteins During Drying. *C. E. Lupano and M. C. Añón*
- 442 A Study of Gliadins of Soft Wheats from the Eastern United States Using a Modified Polyacrylamide Gel Electrophoresis Procedure. *R. L. Clements*
- 449 NOTE: ^{13}C Nuclear Magnetic Resonance Spectroscopic Methods for Investigating Sucrose-Starch Interactions with Increasing Temperature. *L. M. Hansen, J. V. Paukstelis, and C. S. Setser*
- 452 COMMUNICATION TO THE EDITOR: Gliadins Treated with Trifluoroacetic Acid Are Water Soluble. *G. L. Lookhart*
- 453 *Cereal Chemistry* Editors and Staff
- 455 Author Index, Volume 64
- 458 Subject Index, Volume 64
- 461 Contents Index, Volume 64